



CAPITAL STEEL

BUILDING COLOR CHART



HIGH GLOSS

COLOR OPTIONS



POLAR WHITE
SR .58 SRI 69

LIGHT STONE
SR .50 SRI 58

ASH GRAY
SR .48 SRI 56

SADDLE TAN
SR .48 SRI 56

HAWAIIAN BLUE
SR .32 SRI 35

CHARCOAL GRAY
SR .28 SRI 29

BURNISHED SLATE
SR .28 SRI 29

LOW GLOSS

COLOR OPTIONS



BROWNSTONE
SR .47 SRI 54

MEDIUM BRONZE
SR .33 SRI 36

SNOW WHITE
SR .65 SRI 79

ALMOND
SR .63 SRI 76

SLATE GRAY
SR .37 SRI 41

CLASSIC GREEN
SR .28 SRI 29

PACIFIC BLUE
SR .29 SRI 31

COLONIAL RED
SR .34 SRI 37

SOLOR REFLECTIVITY (SR)

Solar reflectivity or reflectance is the ability of a material to reflect solar energy from its surface back into the atmosphere. The SR value is a number from 0 to 1.0. A value of 0 indicates that the material absorbs all solar energy and a value of 1.0 indicates total reflectance. Energy Star requires a SR value of 0.25 or higher for steep slope (above 2:12) roofing and a SR value of 0.65 or higher for low slope (2:12 or less) roofing.

SOLOR REFLECTANCE INDEX (SRI)

The SRI is used to determine compliance with LEED requirements and is calculated according to ASTM E 1980 using values for reflectance and emissivity. Emissivity is a material's ability to release absorbed energy. To meet LEED requirements, a roofing material must have a SRI of 29 or higher for steep slope (above 2:12) roofing and a SRI value of 78 or higher for low slope (2:12 or less) roofing.

40 YEAR PAINT WARRANTY

All Capital Steel buildings come with a 40 year paint warranty covering all walls and roof sheeting. In addition to the paint, Capital Steel covers your Galvalume roof with a 25 year warranty and all standing seam roofs with a 20 year warranty.

26 GAUGE SHEETING

Economy building companies will only deliver 29 gauge sheeting, but with Capital Steel your building will come with 26 gauge sheeting standard. Our stronger sheeting is essential for enduring blowing debris, hail and other extreme weather conditions.